

## **Contents**

Thank You for Choosing ZigZag Education	ii
Teacher Feedback Opportunity	iii
Terms and Conditions of Use	iv
Teacher's Introduction	
Activity Types	vi
Crosswords	7 pages
Match-Up Activities	7 pages
Table-Fill Activities	7 pages
Keyword Answers	7 pages
Crossword Solutions	7 pages

### **Activity Types**

All activities are provided as PDF files, allowing for easy printing and sharing on your school's internal network or VLE. In addition, each of the single-page activities (crosswords, match up and table fill), as well as the solutions, are provided on paper too.

The activities included in this resource are as follows:

### Bingo

Each student is given a different bingo card containing a selection of words from the set. The teacher reads the definitions using the Keyword Answers and the student must match the definition to the words on their card to complete rows, columns, and the full bingo card.



#### Crosswords

These traditional keyword activities are equally effective as lesson or homework activities - and are also an excellent way to ease students into their revision programme.





In addition to the photocopiable worksheets and pdf, the crosswords are provided in interactive format on the accompanying CD-ROM. These are web-based (HTML5) and will run straight from your Internet browser.

#### **Dominoes**

This is essentially another match-up activity, but this one is designed to be used in a more active way to engage students. It is recommended that students work in pairs or small groups.



Half of each card contains a keyword, and the other contains a description. To complete the activity, students must align all the cards in the correct order. There is a 'Start' and a 'Finish', meaning that if any cards are left outside of the chain, then students have gone wrong somewhere.

### Match Up

Students match descriptions to their keyword by drawing lines between them. Because √ PDF ✓ PAPER there are similar descriptions and keywords, students are likely to make the odd mistake while completing the activity, so it is recommended that they use a pencil to start with! By eliminating the keywords that they are familiar with, students can then think about and learn the ones that they are less confident with.

### Flash Cards

These are a helpful revision tool. To make the cards, fold the page in half, then cut each card and stick together so the keyword is on one side and the definition the other. In addition, students could use these to play a game of pairs. Cut each card in two and place face down on the table. Students will then take it in turns to turn over two cards with the aim of matching up a keyword to its definition.

✓ PDF

Matched up cards are removed and the game is finished when all the cards have been matched.

### **Table Fill**

Nothing fancy – students simply write the keyword which is being described, without any ✓ PDF ✓ PAPER other help. Because this activity tests the students' own knowledge, it is best used as a homework activity at the end of each topic or during revision. This then acts as a check that they have grasped the key terminology for each topic. Alternatively, they could be given to students at the beginning of the topic, to see what they already know.

### **Write Your Own Glossary**

Like the Table Fill, this activity can be used to test pupils before learning a topic, or as a revision tool ✓ PDF after learning a topic. Students are given a list of the keywords and need to produce their own definitions. Using Table Fill and Write Your Own Glossary, lessons can be differentiated for all levels of learner.

# **Selected Activities and Completed Glossary Page**


This sample shows <u>one</u> example of several activities.

The whole resource contains approximately 50 activities –

6 or 7 activities for each of the 7 topics.

The resource covers 115 key terms.

### Natural Hazards



### **Across**

- 1 Precipitation event of large, solid ice balls. (9)
- 5 Data collection to spot irregularities. (10)
- **7** Sudden movement of the ground. (10)
- 8 Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year. (7,7)
- **9** Rapid, dangerous movement of snow down the side of a mountain. (9)
- **12** An estimate of the likeliness that an event will occur in the future, often based on past data. (10)
- 14 Generic term for a hurricane, cyclone or typhoon. (8,5)
- 15 Lack of precipitation. (7)
- 16 May occur after intense rainfall. (5)
- 17 A contingency for future events. (8)
- 18 Producer of lava, ash and gases. (7)
- 19 Unstable weather system created by convectional uplift of hot and humid air (associated with electrical activity). (12)

### Down

- **2** Strong winds. (6,5)
- 3 Preparation of actions to reduce the impact of a hazard. (10,10)
- 4 Defence against or damage limitation of a disaster's effects. (10)
- **6** Earthquakes, volcanoes and hurricanes are all examples of \_\_\_\_\_\_ (7,7)
- **10** The natural trend and variation in the earth's temperature and weather patterns over time. (7,6)
- 11 Intense or long event that leaves a deep layer of solid precipitation on the ground. (5,8)
- 13 A windy snowstorm. (8)
- **14** Wall of water. (7)

## Natural Hazards

**Natural Hazards** Physical events that can endanger life without human control.

**Earthquake** Ground shaking caused by the sudden release of pressure between two

tectonic plates.

**Flood** Water bursts a river's banks, causing the inundation of the surrounding land.

**Volcano** A rupture or opening in the earth's surface through which lava, ash and gases

are erupted.

**Severe Gales** Very strong winds, force nine on the Beaufort scale.

Heavy Snowfall Intense or long event that leaves a deep layer of solid precipitation on the

ground.

**Blizzard** A snowstorm which lasts for several hours, accompanied by strong winds,

often over 35 mph.

**Hailstorm** Precipitation event of large, solid ice balls.

**Thunderstorm** Turbulent, unstable weather system created by convectional uplift of hot

and humid air, characterised by violent and heavy precipitation, thunder and

lightning.

**Tsunami** Giant sea wave caused by the displacement of large volumes of water, either

by underwater earthquakes, volcanic eruptions, underwater debris slides, or

landslides into the sea.

**Drought** Occurs when there is less precipitation than expected; can last for several

years, causing severe water shortages.

**Avalanche** Fast-moving mass of snow, ice and debris, which moves downhill under the

influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by

skiers.

**Tropical Storm** Intense low-pressure systems, such as hurricanes, cyclones and typhoons,

which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and

torrential rainfall.

Climate Change The natural trend and variation in the earth's climate over time.

**Extreme Weather** Strong atmospheric conditions which may be unexpected or above the

normal range for a particular time of year.

Management

Strategies

Preparation of actions to reduce the impact of a hazard.

**Monitoring** A record of events or data, so that irregularities can be picked up.

**Prediction** An estimate of the likeliness that an event will occur in the future, often

based on past data.

**Protection** Defence against or damage limitation of a disaster's effects.

**Planning** A contingency for future events.

# Natural Hazards (Table Complete)

A record of events or data, so that irregularities can be picked up.  A rupture or opening in the earth's surface through which lava, ash and gases are erupted.  A snowstorm which lasts for several hours, accompanied by strong winds, often over 35 mph.  An estimate of the likeliness that an event will occur in the future, often based on past data.  Defence against or damage limitation of a disaster's effects.  Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris sildes, or landsildies into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.		
A rupture or opening in the earth's surface through which lava, ash and gases are erupted.  A snowstorm which lasts for several hours, accompanied by strong winds, often over 35 mph.  An estimate of the likeliness that an event will occur in the future, often based on past data.  Defence against or damage limitation of a disaster's effects.  Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant seawave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or and slides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of form over warm bodies of water. Found between 5° and 20° north and south of form equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	A contingency for future events.	
As nowstorm which lasts for several hours, accompanied by strong winds, often over 35 mph.  An estimate of the likeliness that an event will occur in the future, often based on past data.  Defence against or damage limitation of a disaster's effects.  Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and ightning.	A record of events or data, so that irregularities can be picked up.	
An estimate of the likeliness that an event will occur in the future, often based on past data.  Defence against or damage limitation of a disaster's effects.  Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Furbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	A rupture or opening in the earth's surface through which lava, ash and gases are erupted.	
Defence against or damage limitation of a disaster's effects.  Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Furbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	A snowstorm which lasts for several hours, accompanied by strong winds, often over 35 mph.	
Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	An estimate of the likeliness that an event will occur in the future, often based on past data.	
influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.  Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Defence against or damage limitation of a disaster's effects.	
underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.  Ground shaking caused by the sudden release of pressure between two tectonic plates.  Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers.	
Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic eruptions, underwater debris slides, or landslides into the sea.	
form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.  Intense or long event that leaves a deep layer of solid precipitation on the ground.  Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Ground shaking caused by the sudden release of pressure between two tectonic plates.	
Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.  Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and torrential rainfall.	
Physical events that can endanger life without human control.  Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Intense or long event that leaves a deep layer of solid precipitation on the ground.	
Precipitation event of large, solid ice balls.  Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages.	
Preparation of actions to reduce the impact of a hazard.  Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Physical events that can endanger life without human control.	
Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.  The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Precipitation event of large, solid ice balls.	
The natural trend and variation in the earth's climate over time.  Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Preparation of actions to reduce the impact of a hazard.	
Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year.	
humid air, characterised by violent and heavy precipitation, thunder and lightning.	The natural trend and variation in the earth's climate over time.	
Very strong winds, force nine on the Beaufort scale.	Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent and heavy precipitation, thunder and lightning.	
. ,	Very strong winds, force nine on the Beaufort scale.	
Water bursts a river's banks, causing the inundation of the surrounding land.	Water bursts a river's banks, causing the inundation of the surrounding land.	

## Natural Hazards (Match Up)

Natural Hazards A contingency for future events. A record of events or data, so that irregularities can be picked up. Earthquake A rupture or opening in the earth's surface through which lava, ash and gases are erupted. Flood A snowstorm which lasts for several hours, accompanied by strong winds, often over 35 mph. Volcano An estimate of the likeliness that an event will occur in the future, often based on past data. Severe Gales Defence against or damage limitation of a disaster's effects. Heavy Snowfall Fast-moving mass of snow, ice and debris, which moves downhill under the influence of gravity. Triggered by a Blizzard failure in the snowpack as the result of ground shaking during an earthquake, or can be accidentally triggered by skiers. Giant sea wave caused by the displacement of large volumes of water, either by underwater earthquakes, volcanic Hailstorm eruptions, underwater debris slides, or landslides into the sea. Ground shaking caused by the sudden release of pressure between two tectonic plates. Thunderstorm Intense low-pressure systems, such as hurricanes, cyclones and typhoons, which form over warm bodies of water. Found between 5° and 20° north and south of the equator. Associated with high wind speeds (over 120 km/hr) and Tsunami torrential rainfall. Intense or long event that leaves a deep layer of solid precipitation on the ground. **Drought** Occurs when there is less precipitation than expected; can last for several years, causing severe water shortages. Avalanche Physical events that can endanger life without human control. **Tropical Storm** Precipitation event of large, solid ice balls. Climate Change Extreme Weather Preparation of actions to reduce the impact of a hazard. Strong atmospheric conditions which may be unexpected or above the normal range for a particular time of year. Management Strategies The natural trend and variation in the earth's climate over time. Monitoring Turbulent, unstable weather system created by convectional uplift of hot and humid air, characterised by violent Prediction and heavy precipitation, thunder and lightning. Very strong winds, force nine on the Beaufort scale. Protection Water bursts a river's banks, causing the inundation of the surrounding land. **Planning** 

## Natural Hazards

<sup>1</sup> H A I L	<sup>2</sup> S	T 0	R	<sup>3</sup> M			<sup>4</sup> P									
	Е			Α			R									
	٧	<sup>5</sup> M	0	N	I	T	0	R	I	<sup>6</sup> N	G					
	Е			Α			Т			Α						
	R			G			<sup>7</sup> E	Α	R	Т	Н	Q	U	Α	K	Ε
<sup>8</sup> E X T R E M E W	Ε	АТ	Н	Ε	R		С			U						,
	G			М			Т			R						
<sup>9</sup> A V A L	Α	N 10 C	Н	Ε			I			Α		<sup>11</sup> H				
	L	L		N			0			L		Ε				
<sup>12</sup> P R	Е	D I	С	Т	I	0	N			Н		Α				
<sup>13</sup> B	S	М		S				, i		Α		٧				
L		Α		Т						Z		Υ				
<sup>14</sup> T R O P I C A	L	S T	0	R	М					Α		S				
S Z		Е		Α						R		N				
UZ		С		Т						<sup>15</sup> D	R	0	U	G	Н	Т
N A		Н		Ε						S		W				,
A R		Α		G								<sup>16</sup> F	L	0	0	D
M D 17P	L	A N	N	I	N	G						Α				,
		G		Ε						$^{18}V$	0	L	С	Α	N	0
<sup>19</sup> T H U	N	D E	R	S	T	0	R	М				L				